

● SPECIFICATION



532 nm 波長のレーザー光源を備えた照明装置

照射距離: 3mm / 10mm

照射角度: 4deg

20 : (照射距離) 照射径 mm

照射距離 18650 : 照射径 mm

照射径 6 : 照射距離 mm

10- : 照射距離 mm 照射径 degC ~ + 55degC

照射距離 mm : 照射径 mm

照射径 mm: IP 54

照射 : 照射距離 mm

● PRODUCT PICTURES



 XEAST®













Long press (OUT) button to enable tilt function

you can use tripod or other bracket
place the laser tool at various angles.



self leveling

alarm prompt $\leq 4^\circ$ self-leveling

$\geq 4^\circ$ buzzer alarm



Intelligent remote control convenient and quick



● PACKAGE INCLUDE

XEAST®



● TERMS OF TRADE

1). باي بال ، موني جرام ، ويسترن يونيون. ، T / T ، L / C شروط الدفع: نحن نقبل .
30% ودائع وغيرها 70% الرصيد قبل الشحن.

2). شروط الشحن:

ذلك يعتمد على كمية طلب العملاء وطلباتكم الخاصة

3). سيتم فحص العناصر بعناية قبل الشحن ، وسوف نقوم بتحديث حالة التسليم في الوقت المناسب بعد إرسال البضاعة

● COMPANY INFORMATIONS



SALES TEAM



WOKRSHOP

