

● SPECIFICATION



11 x 5/8
 336" 70) "5/16 132 -" 9/16 27 :
 "

● PRODUCT PICTURES



5/8 threaded interface



5/8 threaded interface





Maximum height 3.36M





lifting platform

locking ring



Maximum height 3.36M

elasticity



NO.2

Height can be adjusted according to the scale



N0.3


5/8 threaded connector, can be used with tripod
(Not including tripod)



BRACKET
NO.1



5/8 threaded interface



1/4 threaded interface



Note: due to different production batches, there are two colors for canvas bags, We will deliver goods at random, if you have any questions, Please contact us.







● PACKAGE INCLUDE

XEAST®



● TERMS OF TRADE

XEAST®

- 1). باي بال ، موني جرام ، ويسترن يونيون. ، T / T ، L / C شروط الدفع: نحن نقبل .30% ودائع وغيرها 70% الرصيد قبل الشحن.
- 2). شروط الشحن:
ذلك يعتمد على كمية طلب العملاء وطلباتكم الخاصة
- 3). سيتم فحص العناصر بعناية قبل الشحن ، وسوف نقوم بتحديث حالة التسليم في الوقت المناسب بعد إرسال البضاعة

● COMPANY INFORMATIONS

XEAST®



SALES TEAM



WOKRSHOP

