







CAUTION
LASER RADIATION
DO NOT STARE INTO BEAM
CLASS II (2) LASER PRODUCT
OUTPUT: ~1mW
WAVELENGTH: λ = 635nm
Carefully read the user manual
before use to ensure safety
2*AAA 1.5V
Batteries
CE



● APPLICATIONS

XEAST®

40m 60m 80m 100m للتطبيقات لدينا ليزر مسافة متر



The Scope of Application

Engineering Measurement



Distance Measurement



Steel Engineering



Building Inspector



Planning Industry



Home Installation



Transportation/Decoration Industry





Fast



Convenient



Low Consumption



High Sensibility



Data Storage



Backlight



Beeper




Range Calibration










▼ Addition/Subtraction Measurement

Addition



Subtraction





TERMS OF TRADE

XEAST®

تجارة المصطلحات:

(1). شروط الدفع:

مونيفرام ويسترن يونيون ، paypal ، l / c ، t / t نحن نقبل
إيداع 30 ٪ وغيرها من التوازن 70 ٪ قبل الشحن.

(2). شروط الشحن:

request.We الخاص اعتماد الخارج اعرب عن ذلك يعتمد على كمية طلب العملاء و
، (صريحة وهلم جرا 139 ، LCL ، FCL ، SPSR ، FEDEX ، UPS ، TNT ، DHL)

وسوف تكون البنود فحص دقيق قبل الشحن ، وسوف نقوم بتحديث حالة التسليم في الوقت المناسب بعد أن يتم إرسال البضاعة.



SALES TEAM



WOKRSHOP

