SPECIFICATION

Specificationsto XEAST XE-S Series ليزر مجموعة مكتشف

□□□□□□ □□□	XEAST XE-S □□□□ □□□□□ □□□□□ □□□ □□□□□□□ □□□□ □□□ □□□□□ diastimeter rangefinders
□□□□□□ □□□□□	XEAST □□□ □□□□□ □□□□ XE-S □□□□□
□□□□□	XE-40S □ XE-50S □ XE-60S □ XE-70S □ XE-80S □ XE-100S
□□□□□□ □□□□	0.05-40m□ 50M□ 60M□ 70M□ 80M□ 100M
□□□	± 1.5MM (± 0.06In)
□□□□□	□□□ □ □□□□ □ □□□
□□□□□□□□ □□□□	20 □□□□□□
□□□□□□□□ Powr □□□□□	□□□□□ 30 □□□ □□□□□□□□ □□□□□□ □□□□□ □□□□□ □□□□ □□ □□□ □□□□□ 30 □□□ □□□□□□□□ □□□□□□□ □□□□□
□□□□□□ □□□	□□□□□□□ 635 □ □□□□ □□□□ □ & lt1 □mW □ □□□□□□□ □□□□□
Pretection	□□□□ □□□□ & amp□□□□□ □□□ □□□□□□□ □□□□ □ IP54
□□□□□□□ □□□□□ □□□□	0-50 ℃ □ (32-104 □□□□□□□□ □□□□)
□□□	2 × □□□□□□□ AAA

PRODUCT PICTURES

الصور من وجهات نظر مختلفة لدينا XE-S المهنية الرقمية ليزر المسافة متر سلسلة

XEAST
XE-40S
Laser Distance Meter
MEAS
UNIT
CLR
OFF
30mm
120mm
55mm

CAUTION
LASER RADIATON
DO NOT STARE INTO BEAM
CLASS II (2) LASER PRODUCT
OUTPUT: <1mW
WAVELENGTH: λ=635nm
Carefully read the user manual
before use to ensure safety
2*AAA 1.5V
Batteries
CE
QC
PASSED

XEAST
XE-40S
Laser on indicator
Reference base indicator
Area/Volume function indicator
Laser signal indicator
3.418 m
3.611 m
2.934 m
36.213 m3
Laser Distance Meter
0.05m
60m
Power/single measure/
Consecutive measure key
ON
MEAS
Add Key
Subtract" Key
Backlight、reference base key
Pythagorean Proposition
Indirect Measurement key
Area / volume loft function keys
Units switching key
UNIT
CLR
OFF
Clear off/power off key
History view function key

التطبيقات لدينا ليزر مسافة متر 40 م 50 م 60 م 70 م 80 م 100 م

Product application

Product

Interior decoration

Furniture installation

engineering survey

mechanical engineering

Traffic fire protection

Planning industry

Warehouse logistics

Distance measurement

TERMS OF TRADE

XEAST®

تجارة المصطلحات:

1). شروط الدفع:
نحن نقبل t / t ، l / c ، paypal ، مونيغرام ويسترن يونيون.
إيداع 30 ٪ وغيرها من التوازن 70 ٪ قبل الشحن.
2). شروط الشحن:
الخاص اعتماد الخارج اعرب عن request.We ذلك يعتمد على كمية طلب العملاء و (DHL ، TNT ، UPS ، FEDEX ، EMS ، SPSR
، LCL ، FCL (صريحة وهلم جرا 139 ،
وسوف تكون البنود فحص دقيق قبل الشحن ، وسوف نقوم بتحديث حالة التسليم في الوقت المناسب بعد أن يتم إرسال البضاعة.

COMPANY INFORMATIONS

XEAST®

SALES TEAM
YEAST®
Your Testing Partner
WOKRSHOP