

HT-18

尺寸	3.2" 英寸
重量	220 * 160
像素	35,200
分辨率	0.3
精度	0.07°
温度范围	-20°C 至 300°C / -4°F 至 572°F
精度	±2°C / ±2°C / ±4°F
FOV / 视场	27° x 35° / 0.5
灵敏度	0.5°C
波长	8-14µm
帧率	0.1-10.0
刷新率	8HZ
接口	
存储	支持 SD 卡 25
存储格式	SD 卡 4G
文件格式	JPG
分辨率	18650
USB	Micro USB 2.0
接口	5 / 20 /
认证	CE / RoHS
温度范围	-5°C 至 40°C / 23°F 至 104°F
精度	-20°C 至 50°C / -4°F 至 122°F
湿度	10% RH 至 80% RH
尺寸	223 x 105 x 90
重量	289
配件	1 x 说明书 1 x 充电器 1 x 数据线 1 x 镜头盖 1 x 电池

Thermal Imager HT-18




HT-18
Thermal Imaging Camera



Temperature Range:
-20°C to +300°C
-4°F to 572°F
Resolution:
220x160





Thermal Imaging Camera

The following major functions increase the product's accuracy and usability:


- 1, The adjustable radiation coefficient increases the measurement accuracy of half reflection surface.
- 2, The thermal point and cold point temperature mark may guide the users to the area with highest or lowest temperature of thermal image.
- 3, The selectable color palette.






Color Palette

The following is the image of the same object with selection of different color palettes.



Rainbow



Iron oxide red



Cold color



Black & white



White & black




Visible light camera

Thermal Imaging Camera




Visible Light Image Of Palm



Infrared Image Of Palm



Visible Light Image In Industrial Park




Infrared Image In Industrial Park

1



Infrared Image Of Human Body

2




Infrared Image Of thermos

3



IR image of hand temperature

USB PC



TERMS OF TRADE



1. Payment Methods: T/T / L / C / Paypal / MoneyGram / Western Union
 2. Shipping: DHL / TNT / UPS / FEDEX / EMS / SPSS / 139
 3. Delivery: 30 days / 70 days



SALES TEAM



WOKRSHOP

