SPECIFICATION

□□□
□□□□□3D□□12□□□
□□□□□□□±3°
□□□□□7mm
□□□□□□2□□
□□□□□5m±1mm
□□□□5m±1mm
□□□□□2 * 18650□□□
□□□□20□□
□□2mm / 5m
□□□360 * 3
□□□□□□□-10°C□40°C
□□□□□□□/□□
□□□□IP54□□□□
□□□□□□1.6kg

PRODUCT PICTURES

XEAST®


XERST

334mm
119mm
63mm

1
Moving up and down
2
Move left and right
3
Parallel wall trimming
Wall distance fine-tuning
6
4
5
Parallel wall trimming

Close to the ground and wall
2 cm on the ground
7 mm on the wall

Tilt mode

Remote control
A
B
H
V
Slash, pulse, switch
Vertical line
Horizontal line

XEAST
XEAST
Waterproof / Dustproof
Earthquake resistance

2pc 18650 lithium battery
Continuous work for 20 hours!

Product CE certification

±3°
Alarm device
>3°

Lift platform



Package Include

XEAST®

Packing list

● Terms of Trade

XEAST®

1□□□□□□□□□□□T / T□L / C□Paypal□MoneyGram□Western Union□
□□□30□□□□□□70□□□□
2□□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□□□□□□DHL□TNT□UPS□FEDEX□EMS□SPSR□139□□□□□□□□□□
3□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

● Company Informations

XEAST®

SALES TEAM
YEAST®
Your Testing Partner
WOKRSHOP