

Spezifikation zu unserem präzise Infrared Wärmebildkamera HT-18

Anzeige	3,2 " Vollfarbbildschirm
Infrarot Bildauflösung	220 * 160
Gesamtpixel	35.200 Pixel
Sichtbare Bildauflösung	0,3 Megapixel.
Thermische Empfindlichkeit	0,07 °
Temperaturbereich	-20 ° C bis 300 ° C (-4 ° C bis 572 ° C)
Messgenauigkeit	± 2% oder ± 2 °C (± 4 ‰)
FOV / kürzeste Brennweite	27 ° × 35 ° / 0,5 m
Thermische Empfindlichkeit:	0,5 °C
Wellenlängenbereich:	8-14 um
Emissionsvermögen	0,1-10,0 einstellbar
Bildfrequenz	8HZ
Fokus Modus	Fest
Vision Option	Volles Infrarot und volle Sicht Sichtbares Bild mit 25% Schrittlänge
Bildspeicherung	SD-Karte (4G)
Datei Format	JPG
Batterieversorgung	eingebaute aufladbare 18650
USB	Micro USB2.0
Auto-Ausschaltzeit	5 Minuten / 20 Minuten / nicht automatisch ausgeschaltet
Authentifizierung	CE, RoHS
Betriebstemperatur	-5 ° C bis 40 ° C (23 ° C bis 104 ° C)
Lagertemperatur	-20 ° C bis 50 ° C (-4 ° C bis 122 ° C)
Relative Luftfeuchtigkeit	10% RH bis 80% RH
Artikelgröße	223 × 105 × 90 mm
Artikelgewicht	289g
Paket beinhaltet	1 x Infrarot-Temperatursensor 1 x Kabel 1 x Bedienungsanleitung 1 x Tragetasche 1 x Tragetaschengurt 1 x Kartonverpackung

Die Bilder verschiedener Ansichten für Wärmebildkamera HT-18





Temperature Range:
-20°C to +300°C
-4°F to 572°F
Resolution:
220×160





● APPLICATIONS

XEAST®

Die Anwendungen für unsere Infrarot-Wärmebildkamera von HT18



Electronic
Manufacture



Energy



Fire Fighting

Thermal Imaging Camera

The following major functions increase the product's accuracy and usability:

- 1, The adjustable radiation coefficient increases the measurement accuracy of half reflection surface.
- 2, The thermal point and cold point temperature mark may guide the users to the area with highest or lowest temperature of thermal image.
- 3, The selectable color palette.



Nedical
Treatment




Agriculture




Color Palette


The following is the image of the same object with selection of different color palettes.



Rainbow



Iron oxide red



Cold color



Black & white



White & black




Visible light camera

Thermal Imaging Camera




Visible Light Image
Of Palm



Infrared Image Of Palm




Visible Light Image In
Industrial Park




Infrared Image In
Industrial Park

1




Infrared Image Of
Human Body

2



Infrared Image Of
thermos

3



IR image of hand
temperature

Das Mini - USB - Kabel hilft Ihnen, die aufgenommenen Bilder einfach per PC von unserem PC zu übertragen [Wärmebildkamera](#)

The taken pictures can be transferred to computer via USB cable

In order to increase the differentiation degree, the product is provided with a visual camera. Both thermal images and full vision images can be stored in the detachable memory card. The image may be called or stored in PC to generate a report and print



● APPLICATIONS

XEAST®

Die komplette und Geschenkverpackung wird Ihnen helfen, leicht von unserem zu messen
Wärmebildkamera HT-18



TERMS OF TRADE

XEAST®

1). Zahlungsbedingungen:

Wir akzeptieren T / T, L / C, Paypal, MoneyGram und Western Union.
30% Anzahlung und andere 70% Balance vor dem Versand.

2). Versandbedingungen:

Es hängt von der Kundenauftragsquantität und von Ihrem speziellen Antrag ab. Wir verabschieden ausdrücklich (DHL, TNT, UPS, FEDEX, EMS, SPSR, 139 Eil und so weiter), LCL, FCL Artikel werden vor dem Versand sorgfältig geprüft, und wir werden den Lieferstatus rechtzeitig nach dem Versand der Ware aktualisieren.



SALES TEAM



XEAST®
Your Testing Partner



WOKRSHOP

