

HT-02

重量	2.4kg
尺寸	60 * 60
分辨率	3600x3600
像素间距	0.3mm
工作温度	-20°C~300°C / -4°F~572°F
精度	±2mm / ±2°C / ±4°F
FOV / 视场角	20x20 / 0.5m
精度	0.5°C
波长	8-14µm
分辨率	0.1~1.0mm
频率	6HZ
接口	USB
软件	支持Windows、Linux、Mac OS、Android、iOS等操作系统
存储容量	支持最大5TB存储容量
存储格式	SD卡、4G
文件格式	bmp
接口	USB、RS485、RS232、CAN
电压	4 * 1.5V
功耗	6W
防护等级	IP67
认证	CE、RoHS
工作温度	-5°C~40°C / 23°F~104°F
存储温度	-20°C~50°C / -4°F~122°F
湿度	10%RH~80%RH
尺寸	21.2 * 9 * 6.2cm / 8.3 * 3.5 * 2.4in
重量	231.2g / 8.2oz
尺寸	27 * 19 * 11cm / 10.6 * 7.5 * 4.3in
重量	927g / 32.7oz
配件	1 * 主机 1 * SD卡4G 1 * 说明书 1 * 合格证 1 * 保修卡

XXXXXXXXXX XXXXX HT-02





BBQ



BAKING




REPAIR



CHEMISTRY

Thermal Infrared Imager

It is practical, professional, precision and super efficient.




0%




30%



60%



80%



100%







● TERMS OF TRADE



XXXXXXXX

1XXXXXXXX

XXXXT / TXL / C PayPal MoneyGramXXXXXXXXXXXXXXXXXXXX

XXXX30XXXXXXXXXXXX70XXXX

2XXXXXXXX

XXoftern Express DHL TNT UPSXXXXXXXXXXXXEMS SPSR 139 Express

XXXXLCL FCL

XX

● COMPANY INFORMATIONS





SALES TEAM



WOKRSHOP

