

XXXXXXXXXXE-26& A XEAST 2019XXXXXXXXXXXXXXXE-27XXXX

● SPECIFICATION



00 000 XE-260000000000XE-27

項目	XE-26	XE-27
IR	33×33	33×33
	-20℃~380℃/ -4°F~716°F	-20℃~380℃/ -4°F~716°F
	±2℃±2℃±4°F	±2℃±3.6°F
	2.4 "TFT 320 x 240	2.4 "TFT 320 x 240
	30	30
FOV	33°×33°	33°×33°
	0.5	0.5
	0.5℃	0.15℃
	0.1~1.0	0.10~1.0
	8~14μm	8~14um
		-20℃~70℃/ -4°F~158°F±1.0℃±1.8°F
		0~100%RH~30~10%RH±3%RH ±4%RH
		-30℃~100℃/ -22°F~212°F±1.0℃ ±1.8°F~25℃/ 77°F~40-80%RH
		-30℃~100℃/ -22°F~212°F±1.0℃ ±1.8°F~25℃/ 77°F~40-80%RH
	9HZ	9Hz
	SD~TF~8GB	SD~TF~8GB
	BMP	BMP
	4 * 1.5V~USB	4 * 1.5V~AA~USB
	6	6
	-5℃~40℃~23°F~104°F	-5℃~40℃/ 23°F~104°F; 10%RH~80%RH
	-20℃~50℃~4°F~122°F	-20℃~50℃/ -4°F~122°F; 10%RH~ ~80RH
	260×200×102mm	260×200×112mm
	0.3kg	0.35kg

□□□□□□□□□□	1 *□□□□□□□□□□ 1 *□□□□□□□□□□ 1 * 8GB□□□□□□□□ 1 *□□□□□□□□ 1 *□□□□□□□□ 1 *□□□□□□□□ 1 *□□□□□□□□ 1 *□□□□□□□□	1 *□□□□□□□□□□ 1 *□□□□□□□□□□ 1 * 8GB□□□□□□□□ 1 *□□□□□□□□ 1 *□□□□□□□□ 1 *□□□□□□□□ 1 *□□□□□□□□ 1 *□□□□□□□□
------------	--	--

● PRODUCT PICTURES

XEAST®







Temp & Humidity Sensor








 XEAST®





● PACKAGE INCLUDE

XEAST®





SALES TEAM



WOKRSHOP

