

**XEAST XE-P 000 00-000-000**

000	XEAST XE-P 000 000 000 00 000 000 000
00	XEAST 000 00 000 XE-P 000
00	XE-40P, XE-60P, XE-80P, XE-100P
00 00	0.05 ~ 40m, 60m, 80m, 100m
000	± 1.5mm (± 0.06in)
00	00, 00, 0
000 000	10 00
000	00 00, 00 00, 00 00, 00000 000 00 00, 000 / 00, 00 / 00 00, 0000, 00 000 0
00 00 00	30 0 0 00 000 000 00 00 00 00 30 0 0 00 00
000 00	00 000, 635nm, <1mW, II 0
00 00	00 00 0 & IP54 0000 00 00
00 00	0-40 ° C
00 00	10.5 * 4.2 * 2.5cm / 4.13 * 1.65 * 0.98in
00 00 00	AAA 000 2 0

**000 00000 00 000 00-000-000 00-000 XE-P 000**









● APPLICATIONS

**XEAST®**

□□□ □□ □□□□ □□□ □□ □□ 40m 60m 80m 100m



# The Scope of Application

Engineering Measurement



Distance Measurement



Steel Engineering



Building Inspector



Planning Industry



Home Installation



Transportation/Decoration Industry





Fast



Convenient



Low Consumption



High Sensibility



Data Storage



Backlight



Beeper




Range Calibration




## ▼ Addition/Subtraction Measurement

Addition



Subtraction







**SALES TEAM**



**WOKRSHOP**

