

● SPECIFICATION

XEAST®

材質 : 高強度 鋼 鋼, ABS 樹脂 樹脂 鋼 鋼

鋼 鋼 鋼 : 1/4 "-20, 5/8"-11

鋼 鋼 : 4 鋼

鋼 鋼 鋼 : 鋼 鋼

鋼 鋼 : 鋼 鋼

鋼 鋼 : 360 °

鋼 鋼 鋼 : 180 °

鋼 鋼 : 90 °

鋼 鋼 : 10.0 kg (22.05 lb)

鋼 鋼 : 19.7 "(50 cm)

鋼 鋼 : 18.6 "(48 cm)

鋼 鋼 : 56.3 "(143 cm)

鋼 鋼 : 0.9 "(23mm)

鋼 鋼 (鋼 鋼) : 2.56 lb (1.16kg)

鋼 鋼 鋼 :

1 X143cm 鋼 鋼

1 X 鋼 鋼

● PRODUCT PICTURES

XEAST®









Max load capacity **10kg**



Locking mid-level spreader for **added rigidity**





● TERMS OF TRADE

1). □□ □□:

2). □□ □□ :

በሀገር ውስጥ በሚኖሩ ህጻናት መካከል በጣም የሚጠቀሙ የሕመም ምልክቶች ምን ምን ናቸው?

● COMPANY INFORMATIONS



SALES TEAM



WOKRSHOP

