

XEAST XE-901 3D 3D 360° 5 360°

5 360,360 360 12

SPECIFICATION



Model	XE-901
Resolution	1H (360) / 1V
Field of View	H360 ° / V130 °
Zoom	2
Power	40MW & 10MW
Wavelength	510nm
Horizontal / Vertical Accuracy	± 3mm / 10m
Horizontal / Vertical Angle	4 ° ± 1 °
Response Time	≤3s
Measurement Range (H/V)	45m, ≥60m
Measurement Accuracy	4.5 mm (1 inch)
Battery	4 * AA (LR6)
IP Rating	IP54
Operating Temperature (H/V)	-10 ° C ~ 50 ° C
Storage Temperature	-20 ° C ~ 70 ° C
Mounting Hole	1 / 4 "- 20
Weight	1KG

PRODUCT PICTURES



Product pictures section containing placeholder text.


XEAST®




□□□ 5 □□□□□□□□




00 00,0 00, 00 00





Vertical line



360° horizontal line



Vertical & horizontal lines





01



02



03



04

● **PACKAGE INCLUDE**

XEAST®

▣▣▣ **details** ▣▣▣▣



● APPLICATIONS

XEAST®



● TERMS OF TRADE

XEAST®

1). **□□ □□:**

□□□ T / T, L / C, Paypal, MoneyGram □ Western Union □ □□□□.

□□ □□ 30 % □□□ □ □□ 70 % □□.

2). **□□ □□ :**

□□□ □□□□□ □□ □□ □ □□□ □□ □□□□□. □□ oftern □□ □□□□□ (DHL, TNT, UPS, □□□ □□□□□, EMS, SPSR, 139 □□ □□□ □□), LCL, FCL

□□□□ □□ □□□□ □□ □□ □ □□□ □□ □□ □□□ □□□ □□□ □□□.

● COMPANY INFORMATIONS

XEAST®



SALES TEAM



WOKRSHOP

