SPECIFICATION



The Specification to XEAST 2019 New Released Thermal Imger XE-26

Model	XE-26
IR Resolution	32x32
Temperature Range	-20~380°C/-4~716°F
Accuracy	±2°C (±3.6°F) or ±2% of reading
Display	2.4" TFT 320x240 Pixels color
Visible Camera	300,000 pixels
Field of View(FOV)	33°x33°
Best Focus Distance	0.5m
Thermal Sensitivity	0.15°C
Emissivity	0.10~1.0 adjustable
Spectral Range	8-14um
Color Palettes	lron color,rainbow and gray
Image Capture Frequency	9Hz
Focus Mode	Fixed
Image Storage	SD Card(TF Micor) 8GB
File Format	bmp
Battery Type	4*1.5V"AA"size Lithium battery
Battery Life	6 hours
Timed Shutdown Time	Choosable
Working Conditions	-5°C to 40°C/23°F to 104°F;10%RH to 80%RH
Storage Conditions	-20°C to 50°C/-4°F to 122°F;10%RH to 80RH
Item Size	260*200*102mm
Item Weight	0.3kg
Package Includes	1 * Infrared Thermal Imager 1 * Mini USB Data Cable 1 * 8GB Mobile U Disk 1 * Card Reader 1 * User Manual 1 * Gift Box





The Pictures of Deffirent Views of <u>Infrared Imaging Camera</u> XE-26













APPLICATIONS



The Applications to our 2019 New Released Infrared Thermography Camera XE-26









PACKAGE INCLUDE



The Complete Package of Infrared Thermography Camera XE-26





TERMS OF TRADE



- 1). Terms of Payment: We accept T/T, L/C,Paypal,MoneyGram and Western Union. 30% deposit and other 70% balance before shipment.
- 2). Terms of Shipping:

It depends on clients order quantity and your special request. We oftern adopt Express(DHL,TNT,UPS,FEDEX,EMS,SPSR,139 express and so on),LCL,FCL

3). Items will be careful checking before shipment, and we will update the delivery status timely after the goods are sent out.









SALES TEAM







Your Testing Partner





WOKRSHOP





