

Specification to our [Mini Cheap Infrared Thermal Camera HT-175](#)

Display Screen	2.0 color screen
Infrared Image Resolution	32×32
Pixel	1024 Pixels
Measurement Range	-20~300°C
Measurement Precision	±2%/±2°C
Wavelength Coverage	8-11.5um
Focusing Mode	fixed
Color Palette	iron oxide red and white glow
Power Supply	3×AAA alkaline battery
Working Temperature	0-50°C
Storage Temperature	-20°C~50°C
Size	165*58*64mm
Package Size	191*97*76mm
Package included	1 x Infrared Thermal Camera 1 x Instruction Manual 1x 18500 Recharged Battery 1x USB Cable 1* Power Adapter

The Pictures of Different Views for [Thermal Imager HT-175](#)







● APPLICATIONS

The Applications to our [Infrared Thermal Camera](#) of HT175



● PACKAGE INCLUDE



The complete and gift packing will help you to measure easily from our [handheld thermal imager HT-175](#)



● TERMS OF TRADE



Trade of terms:

1). Terms of Payment:

We accept T/T, L/C, Paypal, MoneyGram and Western Union.

30% deposit and other 70% balance before shipment.

2). Terms of Shipping:

It depends on clients order quantity and your special request. We often adopt Express (DHL, TNT, UPS, FEDEX, EMS, SPSR, 139 express and so on), LCL, FCL

Items will be carefully checked before shipment, and we will update the delivery status timely after the goods are sent out.

● COMPANY INFORMATIONS





SALES TEAM



WOKRSHOP

