

Product Parameter:

Working range (radius)	20m	Laser type	505-515nm
Leveling accuracy	±1mm/5m	Laser class	II , <1mw
Self-leveling range, typically	±3°	Working power	lithium battery
Leveling duration, typically	<4s	Tilt function	YES
Warranty service	One year warranty	Working Time	7 hours
Operation temperature	-10C...+40C	Wall distance	7mm
Base size	26~80mm	Dimension	140*80*130mm

PACKAGE INCLUDED:

- 1*Plastic box
- 1*laser level
- 1*stand
- 1*Upper wall bracket
- 1*lithium battery
- 1*EU Power adapter
- 1*Adjustment part
- 1*Remote control










CAUTION !
LASER RADIATION

Hold down V for 3 seconds to turn Tilt function on or off
Hold H for 3 seconds to turn on or off pulse mode



SELF-LEVELING, ALARM PROMPT
 $\leq 4^\circ$ SELF-LEVELING, $\geq 4^\circ$ BUZZER ALARM



**Remote operation makes work more convenient and quick.
Remote control distance can reach 20cm**







● **PACKAGE INCLUDE**

XEAST®





● TERMS OF TRADE

XEAST®

1). Terms of Payment: We accept T/T, L/C, Paypal, MoneyGram and Western Union.
30% deposit and other 70% balance before shipment.

2). Terms of Shipping:

It depends on clients order quantity and your special request. We often adopt Express (DHL, TNT, UPS, FEDEX, EMS, SPSR, 139 express and so on), LCL, FCL

3). Items will be carefully checked before shipment, and we will update the delivery status timely after the goods are sent out.

● COMPANY INFORMATION

XEAST®



SALES TEAM



WOKRSHOP

