

● SPECIFICATION

XEAST®

Pedal type device able to fasten or cancel quickly
Robust and stable supporting function
Elevating platform could lock or release quickly
Able to connect with all kinds of instrument with 5/8"x 11 screw thread on platform
Adjustable elevating range: 27 9/16"-132 5/16" (70-336cm) five sections

● PRODUCT PICTURES

XEAST®

 **XEAST®**



5/8 threaded interface



5/8 threaded interface





Maximum height 3.36M





lifting platform

Maximum height 3.36M


locking ring

elasticity



N0.2

Height can be adjusted according to the scale



N0.3

5/8 threaded connector, can be used with tripod
(Not including tripod)



BRACKET
N0.1



5/8 threaded interface



1/4 threaded interface



Note: due to different production batches,there are two colors for canvas bags,
We will deliver goods at random, if you have any questions,Please contact us.







● **PACKAGE INCLUDE**

XEAST®



● TERMS OF TRADE

XEAST®

1). Terms of Payment: We accept T/T, L/C, Paypal, MoneyGram and Western Union.
30% deposit and other 70% balance before shipment.

2). Terms of Shipping:

It depends on clients order quantity and your special request. We often adopt Express (DHL, TNT, UPS, FEDEX, EMS, SPSR, 139 express and so on), LCL, FCL

3). Items will be carefully checked before shipment, and we will update the delivery status timely after the goods are sent out.

● COMPANY INFORMATION

XEAST®



SALES TEAM



WOKRSHOP

