
● SPECIFICATION

XEAST®

Material: Aluminum alloy tube, ABS eco-friendly plastic and Sponge

Screw Mount Size: 1/4"-20, 5/8"-11

Leg Sections: 4 Sections

Leg Locking Type: Pull Buckle

Head Type: Ball Head

Pan Range: 360°

Tilt Range: 180°

Lateral Tilt: 90°

Load Capacity: 22.05 lb (10.0 kg)

Folded Length: 19.7" (50 cm)

Min Height: 18.6" (48 cm)

Max Height: 56.3" (143 cm)

Max Tube Diameter: 0.9" (23mm)

Net Weight (Head Included): 2.56 lb (1.16kg)

Items in the Package:

1 X143cm Tripod

1 X Carrying Bag

● PRODUCT PICTURES

XEAST®









Max load capacity **10kg**



Locking mid-level spreader for **added rigidity**





● **TERMS OF TRADE**

XEAST®

1). Terms of Payment:

We accept **T/T, L/C, Paypal, MoneyGram and Western Union**. 30% deposit and other 70% balance before shipment.

2). Terms of Shipping:

It depends on clients order quantity and your special request. We often adopt Express (**DHL, TNT, UPS, FEDEX, EMS, SPSR, 139 express and so on**), LCL, FCL

Items will be carefully checked before shipment, and we will update the delivery status timely after the goods are sent out.



SALES TEAM



XEAST®
Your Testing Partner



WOKRSHOP

