

● SPECIFICATION

XEAST®

項目: 車輪、ABS 系統

□□□□□□□□□□: 1/4 "-20, 5/8" -11

□□□□□□: 4 □□□□

□□□□□□□□□□: □□□□□□□□□□

□□□□□□□□: □□□□□□

□□□□□□: 360 °

□□□□□□□□: 180 °

□□□□□□□□□□: 90 °

□□□□□□□□□□□□□□: 22.05 lb (10.0 kg.)

□□□□□□□□□□□□□□: 19.7 "(50 □□.)

□□□□□□□□□□□□□□□□: 18.6 "(48 □□.)

□□□□□□□□□□□□□□: 56.3 "(143 □□.)

[illegible]

□□□□□□□□□□ (□□□□□□): 2.56 □□□□ (1.16 □□□□□□□□)

[illegible]

1 X143

1 X

● PRODUCT PICTURES

XEAST®









Max load capacity **10kg**



Locking mid-level spreader for **added rigidity**





● TERMS OF TRADE

XEAST®

1) 付款条件:

付款条件: T / T, L / C, Paypal, MoneyGram 付款条件: 30% 预付款, 70% 货到付款

2) 运输条件:

运输条件: 由卖方负责安排, 运费由买方承担, 交货地点: 中国, 交货时间: 139 天, 交货方式: DHL, TNT, UPS, FEDEX, EMS, SPSR, LCL, FCL, 交货地点: 中国, 交货时间: 139 天, 交货方式: DHL, TNT, UPS, FEDEX, EMS, SPSR, LCL, FCL



SALES TEAM



WOKRSHOP

