

**SPECIFICATION**



**XEAST 2019 XE-26**

|                     |  |
|---------------------|--|
| Model               | XE-26  |
| Resolution          | 32x32  |
| Temperature Range   | -20~380°C / -4~716°F                             |
| Accuracy            | ±2°C ±3.6°F ±2%                                  |
| Display             | 2.4" TFT 320x240                                 |
| Storage Capacity    | 300,000  |
| Field of View (FOV) | 33°X33°  |
| Resolution          | 0.5  |
| Resolution          | 0.15°C   |
| Resolution          | 0.10~1.0   |
| Resolution          | 8-14um   |
| Resolution          |  |
| Resolution          | 9HZ  |
| Resolution          |  |
| Resolution          | SD TF Micor 8GB                                  |
| Resolution          | BMP  |
| Resolution          | 4 * 1.5V "AA"                                    |
| Resolution          | 6  |
| Resolution          |  |
| Resolution          | -5°C~40°C / 23°F~104°F; 10%RH~80%RH              |
| Resolution          | -20°C~50°C / -4°F~122°F; 10%RH~80RH              |
| Resolution          | 260 * 200 * 102                                  |
| Resolution          | 0.3  |
| Resolution          | 1 *<br>1 * USB<br>1 * 8GB U<br>1 *<br>1 *<br>1 * |

**PRODUCT PICTURES**



**XE-26**







---

● APPLICATIONS





● **PACKAGE INCLUDE**



☐☐☐☐☐ Infrared Thermography Camera XE-26



● TERMS OF TRADE



1. Payment methods: T / T / C / Paypal / MoneyGram / Western Union

2. Delivery time: 30 days / 70 days

3. Shipping methods

4. Shipping companies: DHL / TNT / UPS / FEDEX / EMS / SPSR / 139

5. Insurance: Yes / No

● COMPANY INFORMATION





**SALES TEAM**



**WOKRSHOP**

