

**XEAST XE-A**

Model	XEAST XE-A
Series	XEAST XE-P
Options	XE-40A XE-60A XE-80A XE-100A XE-120A
Resolution	0.05-40m 60M 80M 100M 120M
Accuracy	±1.5mm ±0.06in
Material	Aluminum
Weight	20g
Temperature Range	0-180°C
Features	High precision; High accuracy; High resolution; High speed; High stability; High reliability
Dimensions	30mm x 30mm x 30mm
Wavelength	635nm < 1mW
Protection	IP54
Interface	Micro-USB USB 2.0 AAA
Power	4000mAh
Operating Temp	0-40°C 32-104°F
Storage Temp	-10-50°C 14-122°F
Accessories	<ul style="list-style-type: none"> <li>1 * XEAST</li> <li>1 * USB</li> <li>1 * XEAST</li> <li>1 * XEAST</li> <li>1 * XEAST</li> </ul>

**XEAST XE-A**











---

● APPLICATIONS

**XEAST®**

□□□□□□ □□□□ 40 60 80 100 120

# Precise and Efficient

Wide measuring range & Accuracy is  $\pm 2\text{mm}$







Distance  
Measurement




Volume  
Measurement




Indirect  
Measurement  
-Pythagorean  
Theorem

### Portable Handheld Digital Laser Distance Meter



Area  
Measurement



Continuous  
Measurement









**SALES TEAM**



**WOKRSHOP**

