

Xeast **XE-61A 12** **360** **3d**

**SPECIFICATION**



00 00

0000	20-50m	0000	532nm 20mw
0000	±1/5	000	II < 1mw
0000000000	±3°	0000	3.7V 2000mAh 3AA 000000
0000000000	< 4S	0000	000000
000	0000	000000	000050
0000	-10°C... + 40°C	00	0.62
0000	-20°C... + 70°C	00	130x90x130mm
0000000000	90	Tripot	1/4" 5/8"
0000	IP54	0000	8
0000	0000	0000	00
0	EVA	0000	1 x 1 1 1 x 1 1 x 1

**PRODUCT PICTURES**



0 00 0 00 00 00

**XEAST<sup>®</sup>**



**XEAST<sup>®</sup>**



**XEAST®**



□ □ □□ □ □ □□□□□□□□□□AA□□



□ □ □ □ □ □



---

● **PACKAGE INCLUDE**

**XEAST®**

□ □ □ □ □ □ □ □ □ □

# XEAST®



● APPLICATIONS

XEAST®



---

● **TERMS OF TRADE**



1. Payment Methods

Paypal / T / C / MoneyGram / Western Union

30 days / 70 days

2. Shipping Methods

DHL / TNT / UPS / FEDEX / EMS / SPSR / 139

Shipping Methods

---

● **COMPANY INFORMATION**







**SALES TEAM**



**WOKRSHOP**

