

Shenzhen Laesent Technology CO.,LTD

XEAST®
Your Testing Partner



+86-(0)755-82566735



Olivia Cao @laesentbiz.cn

◆ The Leading Supplier of Test & Measurement Instruments

[XEAST XE-S2 50M / 70M / 100M / 120M](#)

● SPECIFICATION

XEAST®

□□	XE-S2	□□&□□; Subtraction	√
□□	0.2□50/70/100 /120□	□□□□	√
□□	±□2□□+ 5 * 10-5Dmm□	□□□□	□/□□□□□□/□□□
□□□□	√	□□□□	□/□□/□□/□□+□
□□□□	√	□□□□	30□□
□□□□	√	□□□□	2.0□□□□
□□□□	√	□□□□	2□
□□□□□	√	□□□□	□□□□
□□□□□□□□1□	√	□□□□	3□AA□□□□□□□□□□
□□□□□□□□2□	√	□□□□	0□40°C
□□□□	√	□□	115 * 49 *26□□
□□□□	√		

● PRODUCT PICTURES

XEAST®



Dual power mode

This product adopts dual power supply mode, ordinary dry battery and nickel-metal hydride rechargeable battery. When installing rechargeable battery, it can be directly charged. When installing ordinary dry battery, please do not use USB charging to avoid accidents.



Cycle charging

Nickel-metal hydride
rechargeable battery



Emergency battery duration

3*dry battery

XEAST[®]



XEAST[®]







SALES TEAM



WOKRSHOP

