

Xeast 12 2018 360 3D

SPECIFICATION

XEAST®

IP	IP54
Resolution	3 * 360°
Wavelength	632nm
Accuracy	±30.5 °
H / V	1.5 / 7
Angle	90° ± 30°
Resolution	20
Power	4x1.5V AA
Material	II
Weight	
Dimensions	

PRODUCT PICTURES

XEAST®

XEAST®



☐☐ **apperance.2** ☐ ☐ ☐☐ ☐☐☐☐ ☐☐☐

Beautiful apperance,the New design,hot selling,we recommend this laser level meter



The bottom of the laser level,it meet CE standards,it can use the 1/4 inch or 5/8 inch thread tripod or stand



CE 8005

The battery details,it can use both lithium battery and AA battery.



□ □ □ □ □ □ □ □ □ **AA** □ □ □

The Laser level meter used
with the stand, metal base




□□ensp;□ □□ensp;□□ensp;□ □ □□

The details of the laser,each part of the laser level meter



□ □□□□ensp;&□ensp;□□ □□□□ □□ensp;□□ensp;□□ □□ □□ □□

The button of the panel



□ □□ensp;&□ensp;□□ □□



□□ensp;□□ □□

● **PACKAGE INCLUDE**

XEAST®

- 1 *□□□□
- 1 *□□□□
- 1 *□□□
- 1 * 1.5V AA□□□□
- 1 *□□□□□□+□□□□□□
- 1 *□□□□□□
- 1 * □
- 1 *□□□□
- 1 *□□□

● **APPLICATIONS**

XEAST®





● **TERMS OF TRADE**



1. **TERMS OF TRADE**

Payment / T/L / C Paypal / MoneyGram / Western Union

30 days / 70 days

2. **TERMS OF TRADE**

Shipping: DHL / TNT / UPS / FEDEX / EMS / SPSR / 139

Shipping: DHL / TNT / UPS / FEDEX / EMS / SPSR / 139

● **COMPANY INFORMATIONS**





SALES TEAM



WOKRSHOP

