

HT-02

重量	2.4kg
尺寸	60 * 60
分辨率	3600x3600
像素间距	0.3mm
工作温度	-20°C~300°C / -4°F~572°F
精度	±2% / ±2°C / ±4°F
FOV / 视场角	20x20 / 0.5m
精度	0.5°C
波长	8-14μm
分辨率	0.1~1.0mm
频率	6HZ
接口	USB
镜头	非制冷型微光像增强器
帧率	5帧/秒
存储	SD卡 4G
格式	bmp
功耗	4 * 1.5V
寿命	6年
防护等级	IP67
认证	CE, RoHS
工作温度	-5°C~40°C / 23°F~104°F
存储温度	-20°C~50°C / -4°F~122°F
湿度	10%RH~80%RH
尺寸	21.2 * 9 * 6.2cm / 8.3 * 3.5 * 2.4in
重量	231.2g / 8.2oz
尺寸	27 * 19 * 11cm / 10.6 * 7.5 * 4.3in
重量	927g / 32.7oz
配件	1 * 主机 1 * SD卡 4G 1 * 镜头 1 * 说明书 1 * 保修卡

XXXXXXXXXX XXXXX HT-02





BBQ



BAKING



REPAIR



CHEMISTRY

Thermal Infrared Imager

It is practical, professional, precision and super efficient.



0%




30%



60%



80%



100%







● TERMS OF TRADE



XXXXXXXXXX

1XXXXXXXXXX

XXXXT / TXXXL / CXXPaypalXXMoneyGramXXXXXXXXXXXXXXXXXXXX

XXXX30XXXXXXXXXXXXXXXX70XXXXXX

2XXXXXXXXXX

XXofternXXExpressXXDHLXXTNTXXUPSXXXXXXXXXXXXEMSXXSPSRXX139 ExpressXX

XXXXLCLXXFCL

XX

● COMPANY INFORMATIONS





SALES TEAM



WOKRSHOP

