

● SPECIFICATION



符合 IEC / EN60825-1 / 2014 标准 < 1mW
 635nm \ 510nm
 精度 ±3mm / 10m
 精度 ±2mm / 10m
 精度 ±3mm / 10m
 3 线
 水平角 H110° / 垂直角 V180°
 精度 / 分辨率 4° ± 1°
 射程 / 范围 25m / 15m \ 50 英尺 / 20 英尺
 重量 120g
 功耗 2 × AAA > 1500mA
 IP 等级 IP54
 工作温度 -10°C ~ 50°C
 存储温度 -20°C ~ 70°C
 尺寸 9.3 × 6.4 × 8cm \ 3.7 英寸 × 2.5 英寸 × 3.1 英寸

● PRODUCT PICTURES





VARIOUS KINDS OF FIXING METHOD





POWER ON


Short press the power key or slide locking switch to turn the laser tool ON.

OFF

Lock the pendulum before short press the power button to turn the laser tool OFF.



self-leveling mode



Self-level Available



Within 4 Degree

$\leq \pm 4^\circ$



Pendulum Unlocked



manual mode




Maintain The 90° Angles




Blinks Every 3 Seconds



Pendulum Locked









● PACKAGE INCLUDE

XEAST®



● **TERMS OF TRADE**



1. We accept payment via T/T / C/Paypal/MoneyGram

2. We offer 30 days warranty

3. We offer 70 days warranty

4. We offer 139 days warranty

5. We offer DHL/TNT/UPS/EMS/SPSR

6. We offer LCL/FCL

● **COMPANY INFORMATION**





SALES TEAM



WOKRSHOP

