

Xeast **XE-61A 12** 360 3D

SPECIFICATION



000 00

0000	20±50m	000000	532nm±20mw
0000000	±1mm / 5m	00000000	III<1mw
0000000000000	±3°	000	3.7V 2000mAh 3 x EU AC
0000000	<4s	0000	YES
000	00000	00000000	YES±50m
0000	-10C ... + 40C	00	0.62kg
0000	-20C ... + 70C	00	130x90x130mm
0000000	90	Tripot	1/4 "5/8"
000000	IP54	0000	8
000000	1	00000000	00
00000	EVA	0000000000000	1× 1× 1× 1× 1× 1× 1×

PRODUCT PICTURES



0 00 0 00 0 000

XEAST®



XEAST[®]





□ □□□ □ □□ □□□□□□



● **PACKAGE INCLUDE**

XEAST®

□ □□□□□ □□ □ □□ □□□-□□□

XEAST®



● APPLICATIONS

XEAST®



● **TERMS OF TRADE**



1. Payment Terms
T/T / T/L / C/Paypal/MoneyGram
30 days in advance / 70 days in advance

2. Shipping Terms
We can ship by air (afternoon Express, DHL, TNT, UPS, EMS, SPSR, 139 Express)
or by sea (LCL, FCL)
We can also provide door-to-door service.

● **COMPANY INFORMATION**





SALES TEAM



WOKRSHOP

