

**SPECIFICATION**



XEAST NEW 3D 12 3000 3000 XE-68G PRO 3000 3000

3000 3000	20 ~ 50m	3000 3000	3000 660nm, 3000 515nm
3000 3000	± 1mm / 5m	3000 3000	II, & lt; 1mw
3000000 3000 3000 3000	± 3 °	3000	2x 3.7V 2000mAh 18650 3000 EU AC 3000 3000 3000
3000 3000, 3000000	& lt; 4s	3000 3000	3000 (3000 3000)
3000	3000 3000	3000 3000	3000 (3000 50m)
3000 3000	-10C ... + 40C	3000	0.65kg
3000 3000	-20C ... + 70C	3000	130x90x130mm

3000 3000, 3000	90 %	Tripot 3000	1/4 "5/8"
3000 3000	IP : 54	3000 3000	8 3000
3000 3000	1 3000	3000 3000	3000 3000000
3000	EVA 3000 3000	3000 3000	1 x 3000 3000 3000 1 3000 1 x 3000 1 x 3000 2 x 18650 3000 1 x 3000

**PRODUCT PICTURES**














● PACKAGE INCLUDE

XEAST®



---

● **TERMS OF TRADE**



2019 XEAST 3D R & D 3D XE-68 PRO 2019 XEAST R & D 3D XE-68 PRO

---

● **COMPANY INFORMATIONS**





**SALES TEAM**



**WOKRSHOP**

