

Infrared Non-contact HT-18

Resolution	3.2 mm x 3.2 mm
Resolution	220 * 160
Pixel	35,200 pixels
Resolution	0.3 mm pixel.
Resolution	0.07 °
Resolution	-20 °C ~ 300 °C (-4 °F ~ 572 °F)
Resolution	± 2 % ± 2 °C (± 4 °F)
FOV / Resolution	27 ° x 35 ° / 0.5m
Resolution	0.5 °C
Resolution	8-14µm
Resolution	0.1 ~ 10.0 mm pixel
Resolution	8HZ
Resolution	Pixel
Resolution	Pixel 25 % Pixel Pixel Pixel
Resolution	SD (4G)
Resolution	JPG
Resolution	Pixel Pixel 18650
USB	Pixel USB2.0
Resolution	5 / 20 / Pixel Pixel Pixel
Resolution	CE, RoHS
Resolution	-5 °C ~ 40 °C (23 °F ~ 104 °F)
Resolution	-20 °C ~ 50 °C (-4 °F ~ 122 °F)
Resolution	10 % RH ~ 80 % RH
Resolution	223 x 105 x 90mm
Resolution	289g
Resolution	1 x Pixel Pixel Pixel 1 x Pixel 1 x Pixel Pixel 1 x Pixel Pixel 1 x Pixel Pixel Pixel 1 x Pixel Pixel Pixel

Infrared Non-contact HT-18





Temperature Range:
-20°C to +300°C
-4°F to 572°F
Resolution:
220x160





● APPLICATIONS

XEAST®


HT18



Thermal Imaging Camera

The following major functions increase the product's accuracy and usability:


- 1, The adjustable radiation coefficient increases the measurement accuracy of half reflection surface.
- 2, The thermal point and cold point temperature mark may guide the users to the area with highest or lowest temperature of thermal image.
- 3, The selectable color palette.





Color Palette

The following is the image of the same object with selection of different color palettes.



Rainbow



Iron oxide red



Cold color



Black & white



White & black




Visible light camera

Thermal Imaging Camera




Visible Light Image Of Palm



Infrared Image Of Palm




Visible Light Image In Industrial Park




Infrared Image In Industrial Park

1




Infrared Image Of Human Body

2



Infrared Image Of thermos

3



IR image of hand temperature

USB PC

The taken pictures can be transferred to computer via USB cable


In order to increase the differentiation degree, the product is provided with a visual camera. Both thermal images and full vision images can be stored in the detachable memory card. The image may be called or stored in PC to generate a report and print



● APPLICATIONS

XEAST®

□□□□ □□□ □□□ □□□ □□ □□ □□ □□□□□□□□. □□□□ □□□□ **HT-18**



TERMS OF TRADE



1). 付款方式:

支持 T / T, L / C, Paypal, MoneyGram 及 Western Union 等多种方式。

定金 30 % 余款 70 % 付清。

2). 运输方式 :

我们提供多种运输方式供您选择。我们支持空运 (DHL, TNT, UPS, 快递服务, EMS, SPSR, 139 快递服务), LCL, FCL

我们提供多种运输方式供您选择, 我们提供多种运输方式供您选择。



SALES TEAM



WOKRSHOP

