

XEAST XE-901 3D 3D 360° 5 360°

5 360,360 360 12

SPECIFICATION



Model	XE-901
Resolution	1H (360) / 1V
Field of View	H360 ° / V130 °
Zoom	2
Power	40MW & 10MW
Wavelength	510nm
Positioning Accuracy	± 3mm / 10m
Viewing Angle	4 ° ± 1 °
Response Time	≤3s
Range (H/V)	45m, ≥60m
Weight	4.5 kg (without battery)
Battery	4 * AA (LR6)
IP Rating	IP54
Operating Temp	-10 ° C ~ 50 ° C
Storage Temp	-20 ° C ~ 70 ° C
Dimensions	1 / 4 "- 20
Weight	1KG

PRODUCT PICTURES



Product pictures section containing image placeholders.

XEAST®



□□□ 5 □□□□□□□□




00 00,0 00, 00 00





Vertical line



360° horizontal line



Vertical & horizontal lines





01



02



03



04

● PACKAGE INCLUDE

XEAST®

□ □ □ details □ □ □ □



● APPLICATIONS

XEAST[®]



TERMS OF TRADE



1). **Ödeme Şekli:**
 Kartla T / T, L / C, Paypal, MoneyGram ve Western Union ile mümkündür.
 Kartla ödeme % 30, nakit ödeme % 70'dir.

2). **Kargo Şekli :**
 Kargo ücretleri müşteri tarafından ödenir. Kargo alternatif olarak DHL, TNT, UPS, EMS, SPSR, 139 (LCL, FCL), LCL, FCL olarak yapılabilir.
 Kargo ücretleri müşteri tarafından ödenir, kargo ücretleri müşteri tarafından ödenir.

COMPANY INFORMATIONS





SALES TEAM



WOKRSHOP

