• SPECIFICATION



Specification to the XEAST NEW Released 3D 12 Lines Laser Level XE-68G PRO Series

Working Range	20-50m	Laser Type	Red 660nm , Green 515nm	
Leveling Accuracy	±1mm/5m	Laser Class	II, <1mw	
Self-leveling Range, Typically	±3°	Working Power	2x 3.7V 2000mAh 18650 battery EU AC power supply	
Leveling Duration, Typically	<4s	Tilt Function	YES (No blink)	
Accuracy	Adjustable	Use Receiver	YES (range 50 m)	
Operation Temperature	-10C+40C	Weight	0.65kg	
Storage Temperature	-20C+70C	Dimension	130x90x130mm	

Relative Air Humidity, Max	90%	Tripot Mount	1/4" 5/8"
Waterproof Grade	IP: 54	Working Time	8 hours
Warranty Service	One year warranty	Service Center	China and Moscow
Package	EVA Soft Case	Package Included	1 x Laser level 1 x Bracket 1 x Bag 1 x Charge 2 x 18650 battery 1 x Target

PRODUCT PICTURES



The Pictures of Deffirent Views of 3D 12 Lines Laser Level









APPLICATIONS



The Applications to China Manufacturer of Laser Level XE-68 PRO Seires





PACKAGE INCLUDE



The Complete Accessories of 3D Laser Level XE-68 PRO Series





TERMS OF TRADE

XEAST®

COMPANY INFORMATIONS

XEAST®







SALES TEAM







Your Testing Partner





WOKRSHOP





