

- **Micsig Automotive Oscilloscope SATO1004 Handheld Portable Ignition Tablet Diagnostic Analysis 100Mhz 2/4CH Touch Screen AT01104**

● **SPECIFICATION**



| Model | SATO1004 |
|-------------------------------|---|
| Bandwidth | 100MHz |
| Channels | 4 |
| Sampling Rate | 1GSa/S (single channel) |
| Memory Depth | 70Mpts (single channel) |
| Support Test | Charging & Start circuit, Sensors, Actuators, Ignition, Networks (including CAN, LIN, Flexray, K line, etc.), Combination Tests |
| Bandwidth Filter | Full bandwidth, Low pass |
| I/O Port | Wi-Fi, USB 3.0/2.0 Host, USB Type-C, Grounding, HDMI, Trigger out |
| Display | 8" TFT LCD capacitive touch screen, 800*600 pixels, 14*10 grids |
| Dimension / Net Weight | 265*192*50mm / 1.9kg (with battery) |

● **PRODUCT PICTURES**













Smart series
1 GSa/s 4 Channel

SEQ Run/Stop

Auto

Quick Menu Menu

Select Cursor=

Zoom Cursor||

Trigger Level To 50%


Menu Ch1

Position Ch2

Scale Ch3

Math Ch4

Screen Lock Ref



● PACKAGE INCLUDE



Packing List



- ① Oscilloscope main unit
- ② Probe 2Pcs
- ③ BNC banana lines 4Pcs
- ④ Insulated alligator clips 2Pair
- ⑤ Flexible needle 2Pair
- ⑥ Power adapter 1Pcs
- ⑦ Power cord 1Pcs
- ⑧ Calibration certificate



Company Outlook



Sales Dept



Showroom



Company View



Manufacturing Line



Warehouse



Testing Machine



SMT Dept



Mold Insection Line



Team Building



Customer Visting

