


Specification to our [Digital CO2 Monitor Gas Analyzer](#)

Carbon Dioxide(CO2)			
Range	0~9999ppm	Response Time	10sec
Accuracy	±50ppm ±5%rdg (0~2000)		
Temperature			
Range	-10°C to 70°C(-14°F to 158°F)		
Accuracy	±0.6°C/0.9°F(0~50°C/32~122°F)		
Resolution	0.1°C/°F		
Humidity			
Range	0.1~99.9%	Response	0.1%
Accuracy	±3% (10~90%)	Logging Memory	12700
Operating Condition	0~50°C, 0~95%RH		
Storage Condition	-20~60°C, 0~99%RH		
Sensor Life	15 years in normal comm		
Power Supply	1A Output 9V AC Adapter		

The Pictures of Different Views for [CO2 Tester XE-2000](#)



Function keys



USB interface






● APPLICATIONS

XEAST®

The Applications to our [Portable Gas Analyzer 9999ppm CO2](#)





● PACKAGE INCLUDE



The complete and gift packing will help you to measure easily from our [Air Quality Tester CO2 Meter XE-2000](#)

- 1 x [Carbon Dioxide Meter](#)
- 1 x USB Cable
- 1 x Charge Adapter
- 1 x Small CD
- 1 x English User Manual



● TERMS OF TRADE

XEAST®

Trade of terms:

1). Terms of Payment:

We accept T/T, L/C, Paypal, MoneyGram and Western Union.

30% deposit and other 70% balance before shipment.

2). Terms of Shipping:

It depends on clients order quantity and your special request. We often adopt Express (DHL, TNT, UPS, FEDEX

,EMS,SPSR,139 express and so on),LCL,FCL

Items will be careful checking before shipment,and we will update the delivery status timely after the goods are sent out.

COMPANY INFORMATIONS

