

XEAST 2 in 1 40M 5m steel laser measure tape rule Self-locking laser range finder

● SPECIFICATION


XEAST®

| Item | SW-TM40 | SW-TM60 |
|---------------------------------|----------------------------------|---------|
| Working Range | 40m | 60m |
| Distance measurement precision | ±2mm | |
| Measurement unit options | meter(m), inch(in) and feet(ft) | |
| Continuous measurement function | yes | |
| Volume measurement function | yes | |
| Laser level | II | |
| Laser Type | 635nm,<1mW | |
| Automatically cut off laser | 20s | |
| Automatic shutdown | 150s | |
| Storage Temperature | -20-60°C | |
| Working Temperature | -0-40°C | |
| Storage Humidity | 20%-80%RH | |
| Battery | 1.5V 2*AAA | |
| Battery Life | 8000times for single measurement | |
| Dimension | 85.3*79.3*58.8mm | |

● PRODUCT PICTURES

XEAST®






TM series

Laser range finder tape

LASER RANGING












high definition backlight display

Accurate to millimeter

Data observation is more intuitive, avoiding the error caused by visual scale.



| | | |
|---|---|--|
|  Two ways of measurement |  digital display |  Coated manganese steel ruler tape |
|  Automatic locking |  Magnetic tape |  Multiple unit switching |
|  Pre and post benchmark selection |  $\pm 9\text{mm}$ Self-help calibration |  Single / continuous measurement |

Technical parameter



| Model | SW-TM40 | SW-TM60 |
|------------------------|--------------------|---------|
| Max Range distance | 40M | 60M |
| measurement accuracy | $\pm 2\text{mm}^*$ | |
| Self-help calibration | ✓ | |
| Continuous measurement | ✓ | |
| Measuring unit | M/in/ft | |

● TERMS OF TRADE



1). Terms of Payment:

We accept T/T, L/C, Paypal, MoneyGram and Western Union.
30% deposit and other 70% balance before shipment.

2). Terms of Shipping:

It depends on clients order quantity and your special request. We often adopt Express (DHL, TNT, UPS, FEDEX, EMS, SPSR, 139 express and so on), LCL, FCL.
.Items will be careful checking before shipment, and we will update the delivery status timely after the go

ods are sent out.

COMPANY INFORMATIONS

XEAST®



SALES TEAM



XEAST®
Your Testing Partner



WOKRSHOP

