

● SPECIFICATION



Pedal type device able to fasten or cancel quickly  
Robust and stable supporting function  
Elevating platform could lock or release quickly  
Able to connect with all kinds of instrument with 5/8"x 11 screw thread on platform  
Adjustable elevating range: 27 9/16"-132 5/16" (70-336cm) five sections

● PRODUCT PICTURES





Maximum height 3.36M





lifting platform

locking ring



Maximum height 3.36M

elasticity



**NO.2**

Height can be adjusted according to the scale



**NO.3**

5/8 threaded connector, can be used with tripod  
(Not including tripod)



BRACKET  
**NO.1**



5/8 threaded interface



1/4 threaded interface



Note: due to different production batches,there are two colors for canvas bags,  
We will deliver goods at random, if you have any questions,Please contact us.









● **PACKAGE INCLUDE**

**XEAST®**



## ● TERMS OF TRADE

**XEAST®**

1). Terms of Payment: We accept T/T, L/C, Paypal, MoneyGram and Western Union.  
30% deposit and other 70% balance before shipment.

2). Terms of Shipping:

It depends on clients order quantity and your special request. We often adopt Express (DHL, TNT, UPS, FEDEX, EMS, SPSR, 139 express and so on), LCL, FCL

3). Items will be carefully checked before shipment, and we will update the delivery status timely after the goods are sent out.

## ● COMPANY INFORMATIONS

**XEAST®**



**SALES TEAM**



**WOKRSHOP**

