

[XEAST XE-S2 50M/70M/100M/120M Laser distance meter with green light laser](#)

● SPECIFICATION

XEAST®

Model	XE-S2	Addition&subtraction	√
Range	0.2~50/70/100/120m	Angle sensor	√
Precision	±(2mm+5*10-5Dmm)	Measurement standard	Front/tripod screw hole/back reference
Single measurement	√	Units of measurement	m/ft/in/ft+in
Continuous measurement	√	Auto shut-off	30mins
Area measurement	√	Screen type	2.0 inch positive screen
Volume measurement	√	Laser level	Class 2
Pythagorean	√	Laser type	Green laser
Second Pythagorean(1)	√	Type of battery	3*AA battery (NiMH rechargeable battery)
Second Pythagorean(2)	√	Operating temperature	0~40°C
Auto level	√	Size	115*49*26mm
Auto Vertical	√		

● PRODUCT PICTURES

XEAST®



Dual power mode

This product adopts dual power supply mode, ordinary dry battery and nickel-metal hydride rechargeable battery. When installing rechargeable battery, it can be directly charged. When installing ordinary dry battery, please do not use USB charging to avoid accidents.



Cycle charging

Nickel-metal hydride rechargeable battery



Emergency battery duration

3*dry battery

XEAST[®]



XEAST®





Electronic angle sensor

When measuring, the angle is displayed in real time, the data is more intuitive, easy to read, and it is easier to find the horizontal direction to meet various measurement requirements.



● TERMS OF TRADE

XEAST®

1). Terms of Payment:

We accept [T/T](#), [L/C](#), [Paypal](#), [MoneyGram](#) and [Western Union](#).
30% deposit and other 70% balance before shipment.

2). Terms of Shipping:

It depends on clients order quantity and your special request. We often adopt Express ([DHL](#), [TNT](#), [UPS](#), [FEDEX](#), [EMS](#), [PSR](#), [139 express](#) and so on), [LCL](#), [FCL](#).

Items will be careful checking before shipment, and we will update the delivery status timely after the goods are sent out.



SALES TEAM



WOKRSHOP

