

XEAST

XE-913

● SPECIFICATION



XEAST & XEAST products are designed to provide accurate and reliable performance in a wide range of environments. The XE-913 is a high-precision digital humidity and temperature sensor, ideal for industrial and laboratory applications. It features a compact design and a wide operating range, making it suitable for various measurement tasks. The sensor is built with high-quality components to ensure long-term stability and accuracy. Its digital output allows for easy integration with data logging systems and control units. The XE-913 is a robust and reliable solution for your humidity and temperature measurement needs.

| | | | |
|----------------------|--|---------------------|------------|
| Humidity | Range: 0 ~ 100% RH | | |
| | Operating Range | Accuracy | Resolution |
| | 45 ~ 75RH% | ± 3.0 RH% | 0.1 |
| | Operating Range | Accuracy | |
| | | ± 4.5 RH% | |
| Temperature | Operating Range | Accuracy | Resolution |
| | -20 °C ~ 70 °C / -4 °F ~ 158 °F | ± 1.0 °C / ± 1.8 °F | 0.1 |
| Temperature Accuracy | 20 °C ~ 70 °C / -4 °F ~ 158 °F | ± 1.5 °C / ± 2.7 °F | 0.1 |
| | Operating Range: 25 °C 40 RH% ~ 100 RH% | | |
| Temperature Accuracy | 20 °C ~ 70 °C // -4 °F ~ 158 °F | ± 1.5 °C / ± 2.7 °F | 0.1 |
| Response Time | 0.5S | | |
| Operating Voltage | DC 3.0V ~ 3.3V (Internal 15kΩ pull-up resistor) | | |
| Operating Voltage | DC 3.0V ~ 3.3V (Internal 15kΩ pull-up resistor) | | |
| Operating Range | -20 °C ~ 60 °C / -4 °F ~ 140 °F, 10 RH% ~ 90 RH% | | |
| Operating Range | -20 °C ~ 60 °C / -4 °F ~ 140 °F, 10 RH% ~ 75 RH% | | |
| Operating Voltage | 3 * 1.5V "AAA" | | |
| Operating Voltage | DC 3.0V ~ 3.3V (Internal 15kΩ pull-up resistor) | | |
| Dimensions | 168 * 56 * 30.5mm | | |
| Weight | 75g | | |

● PRODUCT PICTURES











Meter description

- ①. Temperature and humidity sensor
- ②. Color LCD display
- ③. Hold button
- ④. Power on/off button
- ⑤. MAX/MIN button
- ⑥. Mode selection button
- ⑦. Battery cover
- ⑧. Nameplate



LCD display description

- ①. Data hold Icon
- ②. Auto power off Icon
- ③. Temperature reading
- ④. Dew point temperature units icon
- ⑤. Wet bulb temperature units icon
- ⑥. Humidity reading
- ⑦. Humidity unit icon
- ⑧. Temperature unit icon
- ⑨. low battery Icon
- ⑩. MAX/MIN





● **TERMS OF TRADE**

- 1) 付款方式: T / T, L / C, Paypal, MoneyGram 30% 70% 付款
- 2) 运输方式: 空运 (DHL, TNT, UPS, FEDEX, EMS, SPSR, 139) LCL, FCL
- 3) 交货地点:

The collage features several images illustrating the company's operations:

- SALES TEAM:** A group of seven people in green and yellow shirts holding a red banner with Chinese characters and the text "SALES TEAM".
- Office:** A view of a modern office environment with employees at their desks.
- Workshop:** A factory floor with workers at a production line, labeled "WOKRSHOP".
- Testing Equipment:** A large industrial testing machine with a red interior, labeled "CURVACT".
- Customer Interaction:** A man in a white shirt talking to a man in a yellow shirt at a table.
- Product Development:** A man in a white lab coat operating a large piece of equipment.
- Product Display:** A table with various electronic components and blue storage bins.
- Business Meeting:** Two men sitting at a desk with a laptop, one talking on a mobile phone.

In the center of the collage is a large diamond-shaped logo with the text **XEAST®** and **Your Testing Partner**.

1) 0.1) 0.1)