

Xeast 12 lines 2018 360 Cross Line 3D Laser Level

SPECIFICATION



Protection Class:	IP: 54
Beam Range:	3 * 360°
Wavelength:	632nm
Beam Accuracy:	± 30.5 °
Beam Diameter H / V:	1.5mm / 7
Orthotropic:	90 °± 30°
Beam Spacing (mm):	20.(mm)
Power Source:	4x AA 4x1.5V
Weight:	
Dimensions:	
Accessories:	

PRODUCT PICTURES



XEAST®



□□□□□ ENSP; apperance.2□□□ ENSP; □□□□□□ ENSP; □□□□□ ENSP □□□□□□□□□ ENSP
□□□□□□□□□□□□ ENSP; □□□

Beautiful apperance,the New design,hot selling,we recommend this laser level meter



The battery details,it can use both lithium battery and AA battery.



□□ & ENSP; □□□□ & ENSP; □□ & ENSP; □□ ENSP □□□□□□□□ ENSP; □□□□□□□□
ENSP; & □□□□□□□□ ENSP; □□□□ & ENSP; AA & ENSP; □□□□□□□□

The Laser level meter used
with the stand,metal base




□□□□ & ENSP; □□□□□□□□ ENSP; □□□□□□□□□□ ENSP; & □□□□□ ENSP; □□□ & ENSP □□□□□□□
ENSP; □□□

The details of the laser,each part of the laser level meter



□□□□ & ENSP; □□□□□□□□□□ ENSP; & □□□ ENSP □□□□□□ ENSP; □□□□□□□□□□ ENSP;
& □□□ ENSP; & □□□□ ENSP □□□□□□ ENSP; □□□□□□□□ ENSP; □□□□□□□□□□□□□□ ENSP
□□□□

The button of the panel



□□□□ & ENSP; □□□□□□ ENSP; & □□□ ENSP □□□□□□ ENSP □□□



ENSP; & ENSP; ENSP; ENSP

PACKAGE INCLUDE



- 1 * 3D Laser Projector
- 1 * Microscope
- 1 * Battery Pack
- 1 * 1.5V AA Battery
- 1 * Battery Charger + Power Adapter EU
- 1 * Power Cable
- 1 * Instruction Manual
- 1 * Carrying Case

APPLICATIONS







● **TERMS OF TRADE**



1) **Payment Methods:**
T / T, L / C, Paypal, MoneyGram, Western Union
30% deposit, 70% balance payment

2) **Shipping Methods:**
DHL, TNT, UPS, FEDEX, EMS, SPSR, 139 (), LCL, FCL
We can provide door-to-door service for all shipping methods.

● **COMPANY INFORMATIONS**





SALES TEAM



WOKRSHOP

